




Single-phase Silicon Bridge Rectifier

KBJ401 THRU KBJ410

Reverse Voltage 50 to 1000 V
Forward Current 4.0 A



特征 Features

- 低的反向漏电流 Low reverse leakage
- 较强的正向浪涌承受能力 High forward surge capability
- 浪涌承受能力: 170 A Surge overload rating: 170 Amperes peak

机械数据 Mechanical Data

- 封装: 塑料封装 Case: Molded Plastic
- 极性: 标记模压或印于本体 Polarity: Symbols molded or marked on body
- 安装位置: 任意 Mounting Position: Any
- 重量: 4.6 克 Weight: 4.6 Grams

极限值和温度特性 TA = 25°C 除非另有规定。

Maximum Ratings & Thermal Characteristics Ratings at 25°C ambient temperature unless otherwise specified.

	符号	KBJ401	KBJ402	KBJ403	KBJ404	KBJ406	KBJ408	KBJ410	单位
	Symbols	GBJ401	GBJ402	GBJ403	GBJ404	GBJ406	GBJ408	GBJ410	
最大可重复峰值反向电压 Maximum repetitive peak reverse voltage	V_{RRM}	100	200	300	400	600	800	1000	V
最大均方根电压 Maximum RMS voltage	V_{RMS}	70	140	210	280	420	560	700	V
最大直流阻断电压 Maximum DC blocking voltage	V_{DC}	100	200	300	400	600	800	1000	V
最大正向平均整流电流 Maximum average forward rectified current	$I_{F(AV)}$	加散热片 $T_c = 108^\circ\text{C}$							A
无散热片 $T_a = 25^\circ\text{C}$		4.0							
峰值正向浪涌电流 8.3ms 单一正弦半波 Peak forward surge current 8.3 ms single half sine-wave	I_{FSM}	2.3							A
最大反向峰值电流 Maximum peak reverse current full cycle	$I_{R(AV)}$	@ $T_A = 75^\circ\text{C}$							μA
典型热阻 Typical thermal resistance		$R_{\theta JA}$							
工作结温和存储温度 Operating junction and storage temperature range	T_j, T_{STG}	10							$^\circ\text{C}/\text{W}$
		-50 --- +150							$^\circ\text{C}$

电特性 TA = 25°C 除非另有规定。

Electrical Characteristics Ratings at 25°C ambient temperature unless otherwise specified.

	符号	KBJ401	KBJ402	KBJ403	KBJ404	KBJ406	KBJ408	KBJ410	单位
	Symbols	GBJ401	GBJ402	GBJ403	GBJ404	GBJ406	GBJ408	GBJ410	
最大正向电压 Maximum forward voltage	V_F	$I_F = 2.0\text{A}$							V
最大反向电流 Maximum reverse current	I_R	$T_A = 25^\circ\text{C}$							μA
$T_A = 100^\circ\text{C}$		10							
典型结电容 Type junction capacitance	C_j	$V_R = 4.0\text{V}, f = 1\text{MHz}$							pF
		45							

KBJ401 THRU KBJ410

Reverse Voltage 50 to 1000 V
Forward Current 4.0 A

Characteristic Curves

